# ALBINA ASPHALT "Improving the Road Ahead"


Andy Anderson and Tom Shamberger




## History of Albina Asphalt

- Albina Fuel was founded in 1903.
- The Vancouver asphalt plant was established in 1979.
- The Madras plant was purchased in 1988.
- The Klamath Falls plant was purchased in 1997.
- All three plants have been expanded to provide a full line of asphalt products.





## Vancouver Asphalt Oil Facility



## Madras Plant Asphalt Tanks and Load Rack



















## Klamath Falls Asphalt Plant







## Klamath Falls Plant Load Rack





## Klamath Falls Lab











# Trucking provided by: ARMAC Construction Bear Cat Transportation Select contract haulers






- Large selection of chip seal oils
- Consultation with supervisors and foreman for putting together your chip seal program
- Operational and safety training for field crews
- Chip rock testing
- Experienced field rep's to help get season started
- Distributors (both heated and emulsion)
- Transport trucks



## Chip Sealing with RSLTP in Tillamook County









Rapid Set Emulsion

Designed to break quicker

Can use in 40-70 degree temperatures

Used in heavily shaded area


#### Tillamook County













## HFRS-P1 Also knows as: HFE-901S


High Float Rapid Set Emulsion

Manufactured with 1% polymer

Polymers improve rock retention



#### **Marion County**



## Marion County Chip Sealing with HFRS-P2











Also known as HFE-100S
High float rapid set emulsion
Manufactured with 3% polymer
Bonds to aggregate quickly and
improves rock retention
More elasticity with weather
extremes
Can be used on high volume roads



#### **Marion County**



## Klamath County Chip Sealing with PMCRS-2H












Polymer Modified Cationic Rapid Set

Rapid curing

Stiffer asphalt binder for hotter climates



#### Siskiyou County





Rapid set Cationic Emulsion

Polymer modified

Good chip retention

Can be used on high traffic roads



#### **Lake County**














Hot applied binder

Use with coated chip rock

Sweep immediately after application

Quick traffic return

#### **Deschutes County**





## Otta Seal Gravel Road Conversions

Economical tool for converting low volume gravel roads to hard surface

Uses HFMS-2 (High Float Medium Set-2) also known as HF 150

Maintenance grade 3/4"- 0 rock

Otta Seal should be followed with an 3/8" chip seal the same season

Holds up well in harsh climates



## Otta Seal using HF 150





### Otta Seal followed by 3/8 Chip Seal







## Bear Cat in Klamath Falls offers "Dust Off" applications

Contact:

Dale Wetzel – (541)-884-0682

Dale@bearcattrucking.com



## Fog Sealing

Helps with rock retention

Seals small cracks in mat and keeps moisture out

**Striping contrast** 

Positive public perception

Protects surface from oxidation







HFRS-P1 Dilute

CSS-1 Dilute

CSS-1H Dilute





## Distributors for emulsions and hot oil









#### **Bearcat Trucking**







## Transport booster trucks for both hot oil and emulsions















Albina can provide product and chip seal training







Rock and oil compatibility testing done for the customer in our lab







Rep may be provided on-site for job startup if needed (schedule permitting)







## Calibrating equipment Checking Rock Rates







Questions:



#### **Contact Information:**

Andy Anderson — (541) 77-7139 Andy.anderson@albina.com

Tom Shamberger - (541) 604-1021

<u>Tom.shamberger@albina.com</u>

#### Sales

<u>Ken VanDaam - (360)-816-8072</u>

Ken.vandaam@albina.com

Kyle Arntson – (360)-816-8536

Kyle.Arntson@albina.com

